

L Number	Hits	Search Text	DB	Time stamp
3	8	("3756550" "4473455" "4779877" "4971676" "5136754" "5458322" "5605866" "5820684").PN.	USPAT	2002/05/06 09:30
4	1	("5820624").PN.	USPAT; US-PGPUB	2002/05/06 09:33
7	1	("5820684").PN.	USPAT; US-PGPUB	2002/05/06 09:36
10	4	"5820684"	USPAT; US-PGPUB; EPO; DERWENT	2002/05/06 09:38
17	9	"9603470"	USPAT; US-PGPUB; EPO; DERWENT	2002/05/06 10:08
24	1	"4971676".PN.	USPAT	2002/05/06 09:56
25	1	5820684.URPN.	USPAT	2002/05/06 09:56
74	1	"60105246"	USPAT; US-PGPUB; EPO; DERWENT	2002/05/06 10:09
79	1	"58212346"	USPAT; US-PGPUB; EPO; DERWENT	2002/05/06 10:10
84	2	"60105246"	JPO; DERWENT	2002/05/06 10:10
109	49	4788994.URPN.	USPAT	2002/05/06 10:19
148	1	("5183245").PN.	USPAT; US-PGPUB	2002/05/06 11:10
153	27	("4458746" "4473455" "4978412" "5119761" "5228501" "5262029" "5292399" "5316278" "5326725" "5328722" "5352294" "5376180" "5403459" "5421401" "5437757" "5439524" "5447570" "5456756" "5460703" "5534110" "5540821" "5632873" "5725718" "5810931" "5851299" "5860640" "6051122").PN.	USPAT	2002/05/06 11:24
157	38983	c23c016\$.IPC.	JPO; DERWENT	2002/05/06 11:29
160	660865	h011021\$.ipc.	JPO; DERWENT	2002/05/06 11:29
154	43	((118/715,728).CCLS.) and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe) with (slant slope taper angle))	USPAT; US-PGPUB	2002/05/06 11:40
163	146	(c23c016\$.IPC. h011021\$.ipc.) and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe) with (slant slope taper angle))	JPO; DERWENT	2002/05/06 12:05
166	1	((c23c016\$.IPC. h011021\$.ipc.) and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe) with (slant slope taper angle))) and reticle	JPO; DERWENT	2002/05/06 12:06
-	2392	(118/715,728).CCLS.	USPAT; US-PGPUB	2002/05/05 18:50
-	722	((118/715,728).CCLS.) and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe))	USPAT; US-PGPUB	2002/05/06 11:27
-	94	((118/715,728).CCLS.) and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe) same (actuator spring lock tab))	USPAT; US-PGPUB	2002/05/03 16:27
-	13	5584936.URPN.	USPAT	2002/05/03 13:54
-	33	4978412.URPN.	USPAT	2002/05/03 14:08
-	2	kroneberger.in.	USPAT; US-PGPUB	2002/05/03 14:26
-	1	5820684.URPN.	USPAT	2002/05/03 14:41
-	1	"4971676".PN.	USPAT	2002/05/03 14:41
-	22	4971676.URPN.	USPAT	2002/05/03 14:49
-	72	4473455.URPN.	USPAT	2002/05/03 15:38

-	658294	h01I021\$.ipc.	JPO; DERWENT	2002/05/06 11:28
-	38699	c23c016\$.IPC.	JPO; DERWENT	2002/05/06 11:28
-	5201	(h01I021\$.ipc. OR c23c016\$.IPC.) and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe))	JPO; DERWENT	2002/05/03 16:29
-	228	(h01I021\$.ipc. OR c23c016\$.IPC.) and (((holder support ring flange) with (peripher\$3 edge circumference circumscribe)) same (actuator spring lock tab))	JPO; DERWENT	2002/05/03 16:33
-	211	(h01I021\$.ipc. OR c23c016\$.IPC.) and (((holder support ring flange) with (peripher\$3 edge circumference circumscribe)) same (spring lock tab))	JPO; DERWENT	2002/05/03 16:34
-	152	(h01I021\$.ipc. OR c23c016\$.IPC.) and (((holder support ring flange) with (peripher\$3 edge circumference circumscribe)) same (spring))	JPO; DERWENT	2002/05/03 16:52
-	353	((118/715,728).CCLS.) and ((holder support ring flange) same ((clamp clasp pin hold member projection) with (under below bottom)))	USPAT; US-PGPUB	2002/05/03 17:28
-	105	((118/715,728).CCLS.) and ((holder support ring flange) same ((clamp clasp pin hold member projection) with (under below bottom))) and spring	USPAT; US-PGPUB	2002/05/03 17:30
-	99	(269/297).CCLS.	USPAT; US-PGPUB	2002/05/03 18:03
-	2	tyveleijn.in.	EPO; DERWENT	2002/05/03 18:25
-	731	(118/503).CCLS.	USPAT; US-PGPUB	2002/05/03 18:26
-	5	118/705.ccls. and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe))	USPAT; US-PGPUB	2002/05/03 18:28
-	5	118/705.ccls. and ((jig jaw pin clamp clasp spring) with (beneath under below))	USPAT; US-PGPUB	2002/05/03 18:29
-	3	118/705.ccls. and ((jig jaw pin clamp clasp) with (beneath under below))	USPAT; US-PGPUB	2002/05/03 18:29
-	1	("5022619").PN.	USPAT; US-PGPUB	2002/05/05 15:54
-	3	((US-5391231-\$ or US-5383971-\$ or US-5094885-\$ or US-4558388-\$ or US-5863340-\$ or US-6245152-\$ or US-6048403-\$ or US-5421401-\$ or US-4978412-\$ or US-6277198-\$ or US-5925227-\$ or US-5458322-\$ or US-4971676-\$ or US-4473455-\$ or US-6365020-\$ or US-6328296-\$ or US-6299153-\$ or US-6076585-\$ or US-5700297-\$ or US-5184723-\$ or US-4898639-\$ or US-4788994-\$ or US-5022619-\$ or US-6368450-\$ or US-6355108-\$ or US-6287385-\$).did. or (US-5820686-\$ or US-5804042-\$ or US-5605866-\$ or US-5574247-\$ or US-5492566-\$ or US-5447570-\$).did. or (US-20010040329-\$ or US-20010047762-\$).did. or (WO-9918599-\$).did. or (JP-04320022-\$ or JP-62023102-\$ or JP-60105246-\$ or JP-04324954-\$ or JP-08181196-\$ or JP-06267855-\$).did. or (JP-2001210707-\$ or JP-60105246-\$ or US-6328296-\$).did.) and (epitaxial)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/05/05 16:11
-	985	(118/728).CCLS.	USPAT; US-PGPUB	2002/05/05 16:13
-	149	((118/728).CCLS.) and epitaxial	USPAT; US-PGPUB	2002/05/05 16:14
-	37	((118/728).CCLS.) and (epitaxial with (chamber furnace))	USPAT; US-PGPUB	2002/05/05 17:02
-	0	suzuki adj kazuka	USPAT; US-PGPUB	2002/05/05 17:03
-	0	"972030738"	EPO; DERWENT	2002/05/05 17:08
-	0	"97203073"	EPO; DERWENT	2002/05/05 17:29
-	2	tyveleijn	EPO; DERWENT	2002/05/05 17:19

-	3	"948806"	EPO; DERWENT	2002/05/05 17:16
-	0	6328296.URPN.	USPAT	2002/05/05 18:03
-	22	4971676.URPN.	USPAT	2002/05/05 19:20
-	0	(118/715,728 and (ring same (clamp jig pin spring clasp member))) CCLS.	USPAT; US-PGPUB	2002/05/05 18:51
-	0	118/715,728 and (ring same (clamp jig pin spring clasp member))	USPAT; US-PGPUB	2002/05/05 18:51